

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"200502292242"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:51
S2	2	"200502292242"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:43
S3	20157	(intelligent or smart or advanc\$5 or manage\$6 or control\$5) with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:44
S4	9809	S3 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:48
S5	4126	S3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:44
S6	2124	S5 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:17
S7	8163	router.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:44
S8	756	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:45
S9	80	memory.ab. and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 14:05

S10	26	"6101188"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:57
S11	23	S10 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:58
S12	17	S11 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 13:58
S13	422	intelligent near2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 14:05
S14	216	S13 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 14:06
S15	45	S13.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 14:06
S16	24	S15 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 14:06
S17	60	"6587434" "6119165" "6744728" "6101188"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 07:40
S18	9	((("6587434") or ("6119165") or ("6744728") or ("6101188"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 07:40
S19	8	S18 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 07:41

S20	50	S17 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 07:41
S21	0	S19 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:38
S22	8	S20 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:36
S23	3	S22 and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:36
S24	4	S19 and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 08:39
S25	2	("6119165").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 12:11
S26	2	("6501767").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:23
S27	60	"6587434" "6119165" "6744728" "6101188"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:24
S28	50	S27 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:24
S29	8	S28 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:24

S30	4	S29 and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 07:35
S31	2	("6938096").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 08:07
S32	92090	port near4 (proxy or direct\$5 or specificat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:07
S33	45076	port near4 (bandwidth or speed or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:08
S34	110313	first near4 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:08
S35	107556	second near4 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:08
S36	4771	S32 and S33 and S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:09
S37	431	router.ab. and encrypt\$5 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:09
S38	10	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:09
S39	3724	"L10" and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:12

S40	2	S38 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:12
S41	3405	S36 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:12
S42	9413	router and encrypt\$5 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:12
S43	42	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 08:12
S44	42	S43 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:26
S45	41	("6421711").URPN.	USPAT	OR	ON	2006/02/10 08:16
S46	2	("6598088").URPN.	USPAT	OR	ON	2006/02/10 09:27
S47	318	713/153.ccls. and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 12:06
S48	2	("6119165").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 12:32
S49	2	("6501767").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 12:56
S50	4	((("6598088") or ("6957270")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 13:31

S51	5	(S48 or S49 or S50) and (restrict\$5 or block\$5 or prevent\$5 or deny\$5 or stop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:34
S52	8	((("6939096") or ("6658565") or ("6751729") or ("6853638"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 13:34
S53	10	S38 and (restrict\$5 or block\$5 or prevent\$5 or deny\$5 or stop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 13:34
S54	6	S52 and (restrict\$5 or block\$5 or prevent\$5 or deny\$5 or stop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:26
S55	2	("6751729").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 14:27
S56	5	"6751729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:26
S57	4	S56 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:26
S58	1	S55 and (bandwith or congestion or flow\$4 or traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:28
S59	2	S55 and (speed or rate or Hertz or Hz or frequency or bw)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/10 14:29
S60	10620703	device or player or MP3 or IPOD or smartcard or IC or card or ICcard or computer or laptop or mobile or cell or cellular or phone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:39

S61	8242255	ID or ident\$6 or identif\$6 or number\$3 or account\$3 or name or password or username or serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:41
S62	10303585	router or bridge or node or device or computer or server or switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S63	307441	computer with (network\$4 or Internet or LAN or WAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:42
S64	1421682	S60 with S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:43
S65	126208	(set\$5 or configur\$5 or rout\$4 or switch\$4 or process\$4) with S63 with S60 with S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:50
S66	221274	(memory or storage or list or database or spreadsheet or file) with S64 with S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:47
S67	11130	encrypt\$5 with S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:49
S68	172533	computer near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:49
S69	541	(set\$5 or configur\$5 or rout\$4 or switch\$4 or process\$4) with MAC with (card or smartcard or diskette)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:51
S70	226	S69 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:52

S71	224	S70 and MAC and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:52
S72	73	S71 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 09:53.
S73	70	S72 and @ad>"19970101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 10:26
S74	52	(MAC near2 address) with encrypt\$5 with (stor\$4 or database or list or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:16
S75	217008	port with (flow\$5 or bandwidth or rate or traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:16
S76	1	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:16
S77	4	S74 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:20
S78	11	"6115376"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:20
S79	11	S78 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:30
S80	30	"6393484"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:30

S81	28	S80 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:30
S82	8	S81 and MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:32
S83	1	S82 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:32
S84	1585	MAC with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:33
S85	50910	access\$5 with computer with network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:33
S86	257	(card or smartcard or NIC) and S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:34
S87	85	S86 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:34
S88	74	S87 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:19
S89	2	("6178505").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:19
S90	27	"6178505"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:19

S91	15	S90 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:19
S92	2	S89 and filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:24
S93	138	access\$5 with network with MAC with (card or smartcard) with (router or device or bridge or switch or filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:25
S94	38	S93 and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 12:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	102	726/9.ccls. and @ad<"20010823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:34